

TK 4/9 OG

Transformer terminal, screw connection, mounting type: special profiles, rated cross-section: 4 mm², width: 7.5 mm, colour: orange

Item number:	1149.3	
Product weight (kg):	0.03 kg	
Packing unit:	5	
  		


TECHNICAL CHARACTERISTICS

Connection type:	Screw connection
Series:	TK
Number of poles:	9
Rated cross-section (mm ²):	4.00
Rated current (A):	32
Rated voltage (VDC):	800
Wire section AWG:	22 - 10
Cross-section rigid (mm ²):	0.2 - 6
Flexible conductor cross-section (mm ²):	0.2 - 6
Conductor cross section with ferrule (mm ²):	0.2 - 4
Material:	Polyamide PA6.6

TECHNICAL CHARACTERISTICS

Colour:	Orange
Thread:	M3
Tightening torque min. (Nm):	0.50
Tightening torque max. (Nm):	1.00
Flammability rating UL 94:	V0
UL test standard:	UL 1059
UL file number:	E95701
ROHS compliant:	Yes
REACH compliant:	Yes
Manufacturer:	CONTA-CLIP Verbindungstechnik GmbH

DIMENSIONS



DIMENSIONS

Length (mm):	20.50
Width (mm):	7.5