

# KDSI-SR-G 8/16 BK

Split Cable feed-throughs with TPE seal,length: 126mm, width: 64mm

Item number: 29102.4


Packing unit: 1



## TECHNICAL CHARACTERISTICS

<b>Material:</b>	Polyamide PA6.6
<b>Glass fibre reinforced:</b>	Yes
<b>UV-stabilised:</b>	Yes
<b>Halogen-free:</b>	Yes
<b>Silicone-free:</b>	Yes
<b>Sealing material:</b>	TPE
<b>Colour:</b>	Black
<b>Mounting type:</b>	Screw
<b>Number of screw holes:</b>	4
<b>Fastening screw torque (Nm):</b>	3
<b>Working temperature min. (°C):</b>	-40
<b>Working temperature max. (°C):</b>	+120
<b>Flammability rating UL 94:</b>	V0
<b>UL test standard:</b>	UL 508A
<b>Protection class EN 60529:</b>	IP66
<b>ROHS compliant:</b>	Yes
<b>REACH compliant:</b>	Yes
<b>Manufacturer:</b>	CONTA-CLIP Verbindungstechnik GmbH

## DIMENSIONS



## DIMENSIONS

Width (mm):	64.00
Height (mm):	24.2
Construction height (mm):	24.2
Length (mm):	126.00
Cut-out width (mm):	36.00
Cut-out length (mm):	86.00
Screw $\varnothing$ (mm):	5.5