


# Polycarbonate insulated terminals CU, 1.5 - 2.5mm<sup>2</sup>

Type CP, for copper conductors, forke/spade terminal, on reel (1750 pcs)

Item number: CBP-U4-1


Packing unit: 1



## TECHNICAL CHARACTERISTICS

|                             |                         |
|-----------------------------|-------------------------|
| Material:                   | brass                   |
| Surface:                    | Eleetrolytically tinned |
| Wire section (mm²):         | 1.5 - 2.5               |
| Wire section (AWG/MCM):     | 16 - 14                 |
| Bolt (Ø):                   | 4                       |
| Ø Mounting (mm):            | 27mm                    |
| Rolls (mm):                 | 450mm                   |
| Colour:                     | Blue                    |
| Flammability rating UL 94:  | UL94 - V0               |
| Operating temperature (°C): | -20 - +115              |
| Max. temperature (°C):      | +130                    |
| Manufacturer:               | Cembre Group            |

## DIMENSIONS



## DIMENSIONS

|          |      |
|----------|------|
| L1 (mm): | 21.3 |
| L2 (mm): | 3.7  |
| L3 (mm): | 7.5  |
| B1 (mm): | 8.5  |
| d1 (Ø):  | 4.9  |
| d2 (Ø):  | 4.3  |