

# CEMO Battery charging cabinet Basic 8/10, 400 V with feet

Item number:	CEMO-12115CH
Product weight (kg):	146 kg
Packing unit:	1



**Fire- and explosion-resistant safety cabinet**, specifically designed for the storage and charging of lithium-ion batteries.

**Basic model**, certified in accordance with VDMA Standard Sheet 24994:2024-08, Chapter 4.3.

**Safe storage and charging** of lithium-ion batteries up to 6 kWh – ideal for applications with high energy requirements.

**Maximum safety in the event of a fire** – withstands a battery fire and ensures no escape of flames or sparks.

**Modular system** – can be combined and stacked with other LockEX series for maximum flexibility and expandability.

**Patent-protected LockEX** pressure relief system.

**Fire-retardant storage levels** – prevent the spread of fire between individual battery modules.

**User-friendly and cost-effective** – the cost-efficient solution that focuses on the essentials.



## TECHNICAL CHARACTERISTICS

Power supply:	400
Connection type:	CEE 16 A
Maximum electrical power (W):	2 x 3500
Current (A):	16
Number of sockets:	2x 9
Permissible total energy (Wh):	6320
Permissible energy per storage level (Wh):	1580
Smoke detector:	Battery-powered
Temperature measurement:	Thermal fuse
Display:	No
Warning signal:	Acoustic
Alarm forwarding:	No
Potential-free contact:	No
Storage levels:	4
Number of shelves / special cushions:	3
Stackable:	2 pieces stacked on top of each other
Feet/Castors:	With stacking feet
Under-rideable:	Yes
Certificate acc. to VDMA 24994:2024-08:	VDMA 24994 44 780 23136701
ADR certification:	CEMO
Manufacturer:	CEMO

## DIMENSIONS

LxWxH (mm):

800 x 660 x 1110