

CEMO Battery charging cabinet Premium 8/10, 400 V with castors

Item number:	CEMO-12121CH
Product weight (kg):	153 kg
Packing unit:	1



Fire- and explosion-resistant safety cabinet, specifically designed for the storage and charging of lithium-ion batteries.

Premium version, certified in accordance with VDMA Standard Sheet 24994:2024-08, Chapter 4.3.

Safe storage and charging of lithium-ion batteries up to 6 kWh – ideal for applications with high energy requirements.

Maximum safety in the event of a fire – withstands a battery fire and ensures no escape of flames or sparks.

Modular system – can be combined and stacked with other LockEX series for maximum flexibility and expandability.

Patent-protected LockEX pressure relief system.

Fire-retardant storage levels – prevent the spread of fire between individual battery modules.

Connection to central fire alarm system (CFS) – for seamless integration into existing safety infrastructure.



TECHNICAL CHARACTERISTICS

Power supply:	400
Connection type:	CEE 16 A
Maximum electrical power (W):	2 x 3500
Current (A):	16
Number of sockets:	2x 9
Permissible total energy (Wh):	6320
Permissible energy per storage level (Wh):	1580
Smoke detector:	Electric
Temperature measurement:	Thermal fuse
Display:	No
Warning signal:	Acoustic
Alarm forwarding:	No
Potential-free contact:	Yes
Storage levels:	4
Number of shelves / special cushions:	3
Stackable:	2 pieces stacked on top of each other
Feet/Castors:	With castors
Under-rideable:	Yes
Certificate acc. to VDMA 24994:2024-08:	VDMA 24994 44 780 23136701
ADR certification:	CEMO
Manufacturer:	CEMO

DIMENSIONS

LxWxH (mm):

890 x 660 x 1150